



Aluminios Iberica, Lda



PALA - MIGUEL & REIS, LDA.



EXEMPLO CONCRETO

Painéis Sandwich - Perfis - Chapas - Remates - Acessórios



ALUMÍNIOS DE VISEU, LDA.



ANGULAR - Alumínios, Lda.

Catálogo COR 4600




4600 CORREDERA ELEVABLE HI


Perfiles a escala

4600 HI LIFT AND SLIDE


Profiles to scale



COR-4601	
Descripción Description	Marco Frame
Peso Weight (g/m)	3628
Superficie Surface (dm ² /m)	123,86
I_x (cm ⁴)	29,71
I_y (cm ⁴)	328,71
Escuadra principal Main cleat	222085
Troquel Punch tool	334698
Escuadra secundaria Secondary cleat	222085




COR-4603	
Descripción Description	Marco tricarril Three rail frame
Peso Weight (g/m)	5406,5
Superficie Surface (dm ² /m)	180,38
I_x (cm ⁴)	42,98
I_y (cm ⁴)	1138,53
Escuadra principal Main cleat	222085
Troquel Punch tool	334698
Escuadra secundaria Secondary cleat	222085 227035




COR-4604	
Descripción Description	Marco monorrail para fijo One rail frame for fixed light
Peso Weight (g/m)	3366,1
Superficie Surface (dm ² /m)	114,98
I_x (cm ⁴)	23,08
I_y (cm ⁴)	271,13
Escuadra principal Main cleat	222085
Troquel Punch tool	334698
Escuadra secundaria Secondary cleat	227035

4600 CORREDERA ELEVABLE HI
Perfiles a escala


4600 HI LIFT AND SLIDE
Profiles to scale



COR-4621	
Descripción Description	Marco HI HI Frame
Peso Weight (g/m)	3628
Superficie Surface (dm ² /m)	123,86
I_x (cm ⁴)	29,71
I_y (cm ⁴)	328,71
Escuadra principal Main cleat	222085
Troquel Punch tool	334698
Escuadra secundaria Secondary cleat	222085




COR-4623	
Descripción Description	Marco tricarril HI HI three rail frame
Peso Weight (g/m)	5406,5
Superficie Surface (dm ² /m)	180,38
I_x (cm ⁴)	42,98
I_y (cm ⁴)	1138,53
Escuadra principal Main cleat	222085
Troquel Punch tool	334698
Escuadra secundaria Secondary cleat	222085 227035




COR-4624	
Descripción Description	Marco monorail para fijo HI One rail frame for HI fixed light
Peso Weight (g/m)	3366,1
Superficie Surface (dm ² /m)	114,98
I_x (cm ⁴)	23,08
I_y (cm ⁴)	271,13
Escuadra principal Main cleat	222085
Troquel Punch tool	334698
Escuadra secundaria Secondary cleat	227035

4600 CORREDERA ELEVABLE HI
Perfiles a escala

4600 HI LIFT AND SLIDE
Profiles to scale




COR-4640	
Descripción Description	Marco fijo exterior External fixed light frame
Peso Weight (g/m)	3795,7
Superficie Surface (dm ² /m)	124,14
Ix (cm ⁴)	26,97
Iy (cm ⁴)	325,72
Escuadra principal Main cleat	222085
Troquel Punch tool	334698 384697
Escuadra secundaria Secondary cleat	384601




COR-4641	
Descripción Description	Marco fijo exterior HI External fixed light frame HI
Peso Weight (g/m)	3795,7
Superficie Surface (dm ² /m)	124,14
Ix (cm ⁴)	26,97
Iy (cm ⁴)	325,72
Escuadra principal Main cleat	222085
Troquel Punch tool	334698 384697
Escuadra secundaria Secondary cleat	384601

4600 CORREDERA ELEVABLE HI
Perfiles a escala

4600 HI LIFT AND SLIDE
Profiles to scale




COR-4948	
Descripción Description	Marco 3 carriles embutido Three rails inlaid frame
Peso Weight (g/m)	3285,5
Superficie Surface (dm ² /m)	122,05
I_x (cm ⁴)	19,77
I_y (cm ⁴)	363,08




COR-7971	
Descripción Description	Travesaño ventana apertura interior HI Inner opening HI window transom
Peso Weight (g/m)	1457,6
Superficie Surface (dm ² /m)	56,87
I_x (cm ⁴)	8,05
I_y (cm ⁴)	29,95
Fresa Miller	334609
Tope travesaño interior Internal transom stop	920140
Tope travesaño exterior External transom stop	327971

4600 CORREDERA ELEVABLE HI
Perfiles a escala

4600 HI LIFT AND SLIDE
Profiles to scale




COR-7970	
Descripción Description	Travesaño ventana apertura interior Inner opening window transom
Peso Weight (g/m)	1457,6
Superficie Surface (dm ² /m)	56,87
Ix (cm⁴)	8,05
Iy (cm⁴)	29,95
Fresa Miller	334609
Tope travesaño interior Internal transom stop	920140
Tope travesaño exterior External transom stop	327971




COR-4602	
Descripción Description	Hoja Sash
Peso Weight (g/m)	2713,7
Superficie Surface (dm ² /m)	99,13
Ix (cm⁴)	46,42
Iy (cm⁴)	67,79
Escuadra principal Main cleat	222476
Troquel Punch tool	334698
Escuadra alineamiento Alignment cleat	287310
	920135

4600 CORREDERA ELEVABLE HI
Perfiles a escala

4600 HI LIFT AND SLIDE
Profiles to scale




COR-4622	
Descripción Description	Hoja HI HI Sash
Peso Weight (g/m)	2713,7
Superficie Surface (dm ² /m)	99,13
Ix (cm⁴)	46,42
Iy (cm⁴)	67,79
Escuadra principal Main cleat	222476
Troquel Punch tool	334698
Escuadra alineamiento Alignment cleat	287310
	920135




COR-4632	
Descripción Description	Hoja central 50 mm HI 50 mm HI central sash
Peso Weight (g/m)	1504,1
Superficie Surface (dm ² /m)	43,67
Ix (cm⁴)	2,98
Iy (cm⁴)	27,8
Fresa Miller	334608
	334609

4600 CORREDERA ELEVABLE HI
Perfiles a escala

4600 HI LIFT AND SLIDE
Profiles to scale




COR-4652	
Descripción Description	Hoja SF Sash SF
Peso Weight (g/m)	2823,7
Superficie Surface (dm ² /m)	99,13
Ix (cm⁴)	46,42
Iy (cm⁴)	67,79
Escuadra principal Main cleat	222476
Troquel Punch tool	334698
Escuadra alineamiento Alignment cleat	287310 920135




COR-4662	
Descripción Description	Hoja central 50 mm 50 mm central sash
Peso Weight (g/m)	1504,1
Superficie Surface (dm ² /m)	43,67
Ix (cm⁴)	2,98
Iy (cm⁴)	27,8
Fresa Milling	334608 334609

4600 CORREDERA ELEVABLE HI
Perfiles a escala

4600 HI LIFT AND SLIDE
Profiles to scale




COR-4672	
Descripción Description	Hoja HI SF Sash HI SF
Peso Weight (g/m)	2823,7
Superficie Surface (dm ² /m)	99,13
Ix (cm⁴)	46,42
Iy (cm⁴)	67,79
Escuadra principal Main cleat	222476
Troquel Punch tool	334698
Escuadra alineamiento Alignment cleat	287310 920135




COR-4670	
Descripción Description	Esquinero 90° bulón Corner 90° bolt
Peso Weight (g/m)	2273,6
Superficie Surface (dm ² /m)	94,81
Ix (cm⁴)	33,55
Iy (cm⁴)	53,15
Tapas Covers	394670
Observaciones Observations	La referencia 394670 incluye las tapas del perfil Cor-4671 Reference 394670 includes the covers of the Cor-4671 profile

4600 CORREDERA ELEVABLE HI
Perfiles a escala

4600 HI LIFT AND SLIDE
Profiles to scale




COR-4671	
Descripción Description	Esquinero 90° cierre Corner 90° closure
Peso Weight (g/m)	1606,7
Superficie Surface (dm ² /m)	62,38
Ix (cm⁴)	31,36
Iy (cm⁴)	13,7
Tapas Covers	394670
Observaciones Observations	La referencia 394670 incluye las tapas del perfil Cor-4670 Reference 394670 includes the covers of the Cor-4670 profile




COR-4608	
Descripción Description	Encuentro de hojas Sash joint profile
Peso Weight (g/m)	1120,7
Superficie Surface (dm ² /m)	38,76
Ix (cm⁴)	14,05
Iy (cm⁴)	2,35
Fresa Miller	334608
Tornillería Screws	822995

4600 CORREDERA ELEVABLE HI
Perfiles a escala


4600 HI LIFT AND SLIDE
Profiles to scale



COR-4605	
Descripción Description	Tapa de cruce Intersection cap
Peso Weight (g/m)	561,6
Superficie Surface (dm ² /m)	25,03
Ix (cm ⁴)	15,25
Iy (cm ⁴)	0,32




COR-4606	
Descripción Description	Tapa marco Frame cap
Peso Weight (g/m)	753,3
Superficie Surface (dm ² /m)	32,12
Ix (cm ⁴)	1,65
Iy (cm ⁴)	26,96



COR-4616	
Descripción Description	Tapa marco para fijo Frame cover for fixed light
Peso Weight (g/m)	688,5
Superficie Surface (dm ² /m)	33,79
Ix (cm ⁴)	2,09
Iy (cm ⁴)	21,84

4600 CORREDERA ELEVABLE HI
Perfiles a escala


4600 HI LIFT AND SLIDE
Profiles to scale




COR-4642	
Descripción Description	Tapa marco fijo exterior External fixed light frame cover
Peso Weight (g/m)	575,1
Superficie Surface (dm ² /m)	25,44
Ix (cm⁴)	0,68
Iy (cm⁴)	14,1



COR-4643	
Descripción Description	Tapa marco carril fijo exterior Rail cover external fixed light frame
Peso Weight (g/m)	853,2
Superficie Surface (dm ² /m)	38,26
Ix (cm⁴)	3,18
Iy (cm⁴)	30,52



COR-4503	
Descripción Description	Guía inferior Bottom guide
Superficie Surface (dm ² /m)	5,66
Material Material	Acero inoxidable AISI 316 Stainless steel AISI 316




COR-4610	
Descripción Description	Aislante de marco Frame isolation

4600 CORREDERA ELEVABLE HI

Perfiles a escala

4600 HI LIFT AND SLIDE

Profiles to scale



COR-4615	
Descripción Description	Aislante de cruce Intersection isolation
Juntas Gaskets	324603

COR-4644	
Descripción Description	Aislante marco fijo exterior Fixed light frame insulation

COR-4650	
Descripción Description	Acople para fijo Adaptor for fixed
Peso Weight (g/m)	1700,2
Superficie Surface (dm ² /m)	69,24
Ix (cm⁴)	2,77
Iy (cm⁴)	136,23


COR-4651	
Descripción Description	Acople para fijo HI Adaptor for fixed HI
Peso Weight (g/m)	1700,2
Superficie Surface (dm ² /m)	69,24
Ix (cm⁴)	2,77
Iy (cm⁴)	136,23

COR-4660	
Descripción Description	Aislante de marco estrecho Narrow frame insulation


COR-4661	
Descripción Description	Suplemento aislante de marco Frame insulation supplement

4600 CORREDERA ELEVABLE HI
Perfiles a escala


4600 HI LIFT AND SLIDE
Profiles to scale



COR-4665	
Descripción Description	Aislante de cruce estrecho Narrow crossing insulation




COR-4681	
Descripción Description	Acople solera marco inferior Bottom frame subcill
Peso Weight (g/m)	4324,6
Superficie Surface (dm ² /m)	149,12
I_x (cm ⁴)	99,77
I_y (cm ⁴)	437,04
Tapas Covers	374682
Observaciones Observations	Perfil de 6.5 m mecanizado cada 400 mm 6.5 m profile machined w/400 mm




COR-4683	
Descripción Description	Acople solera marco inferior tricarril Bottom frame subcill three rail
Peso Weight (g/m)	6248,9
Superficie Surface (dm ² /m)	211,19
I_x (cm ⁴)	148,76
I_y (cm ⁴)	1429,85
Tapas Covers	374687
Observaciones Observations	Perfil de 6.5 m mecanizado cada 400 mm 6.5 m profile machined w/400 mm

4600 CORREDERA ELEVABLE HI
Perfiles a escala


4600 HI LIFT AND SLIDE
Profiles to scale



COR-4891	
Descripción Description	Canaleta de recogida Pickup duct
Peso Weight (g/m)	1830,6
Superficie Surface (dm ² /m)	67,53
Ix (cm⁴)	76,38
Iy (cm⁴)	66,21
Tapas Covers	374897



COR-2023	
Descripción Description	Junquillo recto de 2,5 mm 2,5 Straight glazing bead clip
Peso Weight (g/m)	151,2
Superficie Surface (dm ² /m)	8,71
Ix (cm⁴)	0,32
Iy (cm⁴)	0,21




COR-2093	
Descripción Description	Junquillo clip recto de 8 mm Straight glazing bead clip 8 mm
Peso Weight (g/m)	256,5
Superficie Surface (dm ² /m)	14,51
Ix (cm⁴)	0,56
Iy (cm⁴)	0,23

4600 CORREDERA ELEVABLE HI


Perfiles a escala

4600 HI LIFT AND SLIDE


Profiles to scale




COR-2019	
Descripción Description	Junquillo clip recto de 12 mm Straight glazing bead clip 12 mm
Peso Weight (g/m)	261,9
Superficie Surface (dm ² /m)	14,77
Ix (cm⁴)	0,61
Iy (cm⁴)	0,27




COR-2065	
Descripción Description	Junquillo clip recto de 16.50 mm Straight glazing bead clip 16,50 mm
Peso Weight (g/m)	270
Superficie Surface (dm ² /m)	15,13
Ix (cm⁴)	0,65
Iy (cm⁴)	0,41



COR-2018	
Descripción Description	Junquillo clip recto de 19 mm Straight glazing bead clip 19 mm
Peso Weight (g/m)	275,4
Superficie Surface (dm ² /m)	15,52
Ix (cm⁴)	0,67
Iy (cm⁴)	0,53




COR-2117	
Descripción Description	Junquillo clip recto de 22 mm Straight glazing bead clip 22 mm
Peso Weight (g/m)	294,3
Superficie Surface (dm ² /m)	16,44
Ix (cm⁴)	0,7
Iy (cm⁴)	0,69




COR-2015	
Descripción Description	Junquillo clip recto de 26 mm Straight glazing bead clip 26 mm
Peso Weight (g/m)	321,3
Superficie Surface (dm ² /m)	18,04
Ix (cm⁴)	0,75
Iy (cm⁴)	0,97

4600 CORREDERA ELEVABLE HI
Perfiles a escala


4600 HI LIFT AND SLIDE
Profiles to scale




COR-2017	
Descripción Description	Junquillo clip recto de 33 mm Straight glazing bead clip 33 mm
Peso Weight (g/m)	353,7
Superficie Surface (dm ² /m)	19,98
Ix (cm⁴)	0,78
Iy (cm⁴)	1,55



COR-2016	
Descripción Description	Junquillo clip recto de 38 mm Straight glazing bead clip 38 mm
Peso Weight (g/m)	369,9
Superficie Surface (dm ² /m)	20,98
Ix (cm⁴)	0,82
Iy (cm⁴)	2,16







COR-2208	
Descripción Description	Pletina de 50x8 mm 50x8 mm plate
Peso Weight (g/m)	1071,9
Superficie Surface (dm ² /m)	11,26
Ix (cm⁴)	0,2
Iy (cm⁴)	8,12



COR-1700	
Descripción Description	U de refuerzo Reinforcement U
Peso Weight (g/m)	1239,3
Superficie Surface (dm ² /m)	34,5
Ix (cm⁴)	20,05
Iy (cm⁴)	12,71
Observaciones Observations	Con tapa Cor-1701 With cover Cor-1701

4600 CORREDERA ELEVABLE HI
Perfiles a escala

4600 HI LIFT AND SLIDE
Profiles to scale



COR-1701	
Descripción Description	Tapa clipaje U refuerzo Reinforcement U-clip end plate
Peso Weight (g/m)	202,5
Superficie Surface (dm ² /m)	10
Ix (cm⁴)	0,02
Iy (cm⁴)	1,09

COR-1704	
Descripción Description	U refuerzo 40 mm Reinforcement U 40 mm
Peso Weight (g/m)	743,31
Superficie Surface (dm ² /m)	22,78
Ix (cm⁴)	3,77
Iy (cm⁴)	7,09
Observaciones Observations	Con tapa Cor-1701 With cover Cor-1701

COR-4750	
Descripción Description	Refuerzo 40x50 mm Reinforcement 40x50 mm
Peso Weight (g/m)	1147,5
Superficie Surface (dm ² /m)	40,9
Ix (cm⁴)	13,81
Iy (cm⁴)	8,9
Tapas Covers	364752
Tornillería Screws	822995






COR-6852	
Descripción Description	Tubo de 50x30 INOX 50x30 mm stainless tube
Ix (cm⁴)	7,87
Iy (cm⁴)	3,54

4600 CORREDERA ELEVABLE HI

Perfiles a escala

4600 HI LIFT AND SLIDE

Profiles to scale



COR-9214	
Descripción Description	Tapeta End plate
Peso Weight (g/m)	129,6
Superficie Surface (dm ² /m)	8,52
Ix (cm ⁴)	0,02
Iy (cm ⁴)	0,28

COR-2030	
Descripción Description	Pletina falleba aluminio Aluminium espagnolette
Peso Weight (g/m)	143,1
Superficie Surface (dm ² /m)	5
Ix (cm ⁴)	0,01
Iy (cm ⁴)	0,16

COR-2890	
Descripción Description	Complemento tapa registro (para panel) Register cover complement (for panel)
Peso Weight (g/m)	280,8
Superficie Surface (dm ² /m)	15,65
Ix (cm ⁴)	0,37
Iy (cm ⁴)	0,73
Juntas Gaskets	262810
Tornillería Screws	853913

COR-2891	
Descripción Description	Asiento tapa registro Register cover seat
Peso Weight (g/m)	159,3
Superficie Surface (dm ² /m)	7,92
Ix (cm ⁴)	0,23
Iy (cm ⁴)	0,19
Juntas Gaskets	262810



COR-2892	
Descripción Description	Complemento tapa registro (panel 20 mm) Register cover complement (for 20 mm panel)
Peso Weight (g/m)	332,1
Superficie Surface (dm ² /m)	19,08
Ix (cm ⁴)	0,54
Iy (cm ⁴)	1,31

4600 CORREDERA ELEVABLE HI

Perfiles a escala

4600 HI LIFT AND SLIDE

Profiles to scale



COR-5057


Descripción Description	Complemento tapa registro (para chapa) Register cover complement (for plate)
Peso Weight (g/m)	191,7
Superficie Surface (dm ² /m)	12,06
Ix (cm⁴)	0,14
Iy (cm⁴)	0,5
Juntas Gaskets	262810
Tornillería Screws	853913

808040

Descripción Description	Tubo rectangular de 80x40x1.5 mm 80x40x1,5 mm rectangular tube
Peso Weight (g/m)	947,7
Superficie Surface (dm ² /m)	46,8
Ix (cm⁴)	10,16
Iy (cm⁴)	29,9

770216

Descripción Description	Tubo 150x40 Tube 150x40
Peso Weight (g/m)	2592
Superficie Surface (dm ² /m)	73,8
Ix (cm⁴)	28,55
Iy (cm⁴)	254,08




COR-7056


Descripción Description	Alargadera de 60 mm 60 mm cill
Peso Weight (g/m)	307,8
Superficie Surface (dm ² /m)	15,57
Ix (cm⁴)	0,15
Iy (cm⁴)	5
Tornillería Screws	812913

4600 CORREDERA ELEVABLE HI
Perfiles a escala


4600 HI LIFT AND SLIDE
Profiles to scale




COR-7055	
Descripción Description	Alargadera de 85 mm 85 mm cill
Peso Weight (g/m)	434,7
Superficie Surface (dm ² /m)	20,54
Ix (cm⁴)	0,19
Iy (cm⁴)	12,95
Tornillería Screws	812913



COR-7057	
Descripción Description	Alargadera de 120 mm 120 mm cill
Peso Weight (g/m)	618,3
Superficie Surface (dm ² /m)	27,5
Ix (cm⁴)	0,23
Iy (cm⁴)	33,9
Tornillería Screws	812913




COR-7073	
Descripción Description	Alargadera de 150 mm 150 mm cill
Peso Weight (g/m)	764,1
Superficie Surface (dm ² /m)	33,66
Ix (cm⁴)	0,22
Iy (cm⁴)	64,13
Tornillería Screws	812913




COR-7072	
Descripción Description	Alargadera de 180 mm 180 mm cill
Peso Weight (g/m)	950,4
Superficie Surface (dm ² /m)	39,66
Ix (cm⁴)	0,26
Iy (cm⁴)	110,95
Tornillería Screws	812913

4600 CORREDERA ELEVABLE HI
Perfiles a escala


4600 HI LIFT AND SLIDE
Profiles to scale




COR-2705	
Descripción Description	Grapa para solapes Clip for overlap
Peso Weight (g/m)	232,2
Superficie Surface (dm ² /m)	112,1
Ix (cm⁴)	0,58
Iy (cm⁴)	0,23
Tornillería Screws	853913



COR-2744	
Descripción Description	Grapa para solapes Clip for overlap
Peso Weight (g/m)	348,3
Superficie Surface (dm ² /m)	13,98
Ix (cm⁴)	1,84
Iy (cm⁴)	0,36
Tornillería Screws	853913




COR-2839	
Descripción Description	Solape recto de 40 mm 40 mm straight overlap
Peso Weight (g/m)	232,2
Superficie Surface (dm ² /m)	14,42
Ix (cm⁴)	1,59
Iy (cm⁴)	0,04
Escuadra alineamiento Alignment cleat	920135
Observaciones Observations	Grapa 2744 Clip 2744




COR-2733	
Descripción Description	Solape chaflán de 50 mm Bevelled overlap 50 mm
Peso Weight (g/m)	367,2
Superficie Surface (dm ² /m)	21,82
Ix (cm⁴)	2,94
Iy (cm⁴)	1,75
Escuadra alineamiento Alignment cleat	207004 277004
Observaciones Observations	Grapa 2744 Clip 2744

4600 CORREDERA ELEVABLE HI
Perfiles a escala

4600 HI LIFT AND SLIDE
Profiles to scale




COR-7026	
Descripción Description	Solape de 50 mm 50 mm overlap
Peso Weight (g/m)	340,2
Superficie Surface (dm ² /m)	20,45
Ix (cm⁴)	2,99
Iy (cm⁴)	0,18
Escuadra alineamiento Alignment cleat	207004 277004
Observaciones Observations	Grapa 2744 Clip 2744




COR-7029	
Descripción Description	Solape de 65 mm 65 mm overlap
Peso Weight (g/m)	394,2
Superficie Surface (dm ² /m)	23,45
Ix (cm⁴)	5,75
Iy (cm⁴)	0,2
Escuadra alineamiento Alignment cleat	207004 277004
Observaciones Observations	Grapa 2744 Clip 2744

4600 CORREDERA ELEVABLE HI
Perfiles a escala


4600 HI LIFT AND SLIDE
Profiles to scale



COR-7027	
Descripción Description	Solape de 85 mm 85 mm overlap
Peso Weight (g/m)	464,4
Superficie Surface (dm ² /m)	25,82
Ix (cm⁴)	11,36
Iy (cm⁴)	0,12
Escuadra alineamiento Alignment cleat	207004 277004
Observaciones Observations	Grapa 2744 Clip 2744




COR-2731	
Descripción Description	Solape de 35 mm Straight overlap 35 mm
Peso Weight (g/m)	183,6
Superficie Surface (dm ² /m)	11
Ix (cm⁴)	0,92
Iy (cm⁴)	0,02
Escuadra alineamiento Alignment cleat	212007 912100
Observaciones Observations	Grapa 2705 Clip 2705




COR-2745	
Descripción Description	Solape recto 45 mm Straight overlap 45 mm
Peso Weight (g/m)	237,6
Superficie Surface (dm ² /m)	14,03
Ix (cm⁴)	1,88
Iy (cm⁴)	0,02
Escuadra alineamiento Alignment cleat	212008 912100
Observaciones Observations	Grapa 2705 Clip 2705

4600 CORREDERA ELEVABLE HI
Perfiles a escala

4600 HI LIFT AND SLIDE
Profiles to scale



COR-2728	
Descripción Description	Solape recto de 55 mm Straight overlap 55 mm
Peso Weight (g/m)	270
Superficie Surface (dm ² /m)	16,03
Ix (cm ⁴)	3,19
Iy (cm ⁴)	0,02
Escuadra alineamiento Alignment cleat	212008 912100
Observaciones Observations	Grapa 2705 Clip 2705




COR-2773	
Descripción Description	Solape recto de 65 mm Straight overlap 65 mm
Peso Weight (g/m)	299,7
Superficie Surface (dm ² /m)	17,49
Ix (cm ⁴)	4,7
Iy (cm ⁴)	0,02
Escuadra alineamiento Alignment cleat	912100 920135
Observaciones Observations	Grapa 2705 Clip 2705

4600 CORREDERA ELEVABLE HI


Perfiles a escala

4600 HI LIFT AND SLIDE


Profiles to scale



COR-2734	
Descripción Description	Solape de 77 mm 77 mm overlap
Peso Weight (g/m)	337,5
Superficie Surface (dm ² /m)	19,66
Ix (cm⁴)	7,31
Iy (cm⁴)	0,02
Escuadra alineamiento Alignment cleat	912100 920135
Observaciones Observations	Grapa 2705 Clip 2705




770224	
Descripción Description	Solape de registro recto Straight register overlap
Peso Weight (g/m)	353,7
Superficie Surface (dm ² /m)	20,3
Ix (cm⁴)	2,24
Iy (cm⁴)	0,98
Escuadra alineamiento Alignment cleat	245054
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2




COR-5056	
Descripción Description	Solape de registro Register overlap
Peso Weight (g/m)	356,4
Superficie Surface (dm ² /m)	20,49
Ix (cm⁴)	2,38
Iy (cm⁴)	0,97
Tornillería Screws	813919
Escuadra alineamiento Alignment cleat	245054
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2

4600 CORREDERA ELEVABLE HI
Perfiles a escala

4600 HI LIFT AND SLIDE
Profiles to scale




COR-2894	
Descripción Description	Solape de registro de 45 mm 45 mm register overlap
Peso Weight (g/m)	372,6
Superficie Surface (dm ² /m)	21,37
Ix (cm⁴)	2,87
Iy (cm⁴)	1
Tornillería Screws	813919
Escuadra alineamiento Alignment cleat	245054
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2




770563	
Descripción Description	Solape 60 mm 60 mm overlap
Peso Weight (g/m)	469,8
Superficie Surface (dm ² /m)	26,85
Ix (cm⁴)	6,94
Iy (cm⁴)	1,09
Escuadra alineamiento Alignment cleat	245054
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2

4600 CORREDERA ELEVABLE HI
Perfiles a escala

4600 HI LIFT AND SLIDE
Profiles to scale




COR-2898	
Descripción Description	Solape de registro de 85 mm 85 mm register overlap
Peso Weight (g/m)	612,9
Superficie Surface (dm ² /m)	33,06
Ix (cm⁴)	17,56
Iy (cm⁴)	1,24
Tornillería Screws	813919
Escuadra alineamiento Alignment cleat	245054
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2




COR-5054	
Descripción Description	Solape de registro curvo de 86.50 mm Curve register overlap of 86,50 mm
Peso Weight (g/m)	621
Superficie Surface (dm ² /m)	33,11
Ix (cm⁴)	17,92
Iy (cm⁴)	1,23
Tornillería Screws	813919
Escuadra alineamiento Alignment cleat	245054
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2

4600 CORREDERA ELEVABLE HI
Perfiles a escala


4600 HI LIFT AND SLIDE
Profiles to scale



COR-2820	
Descripción Description	Tapa guía Guide end plate
Peso Weight (g/m)	369,9
Superficie Surface (dm ² /m)	16,72
Ix (cm⁴)	4,19
Iy (cm⁴)	0,36
Observaciones Observations	Tornillo Ø3.9 mm DIN7504P-A2 Ø2.9 mm DIN7504N- A2 screw




COR-2752	
Descripción Description	Guía de 50 mm 50 mm guide
Peso Weight (g/m)	758,7
Superficie Surface (dm ² /m)	41,84
Ix (cm⁴)	8,43
Iy (cm⁴)	9,58
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2




COR-2753	
Descripción Description	Guía de 60 mm 60 mm guide
Peso Weight (g/m)	761,4
Superficie Surface (dm ² /m)	42,42
Ix (cm⁴)	8,9
Iy (cm⁴)	10,72
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2

4600 CORREDERA ELEVABLE HI
Perfiles a escala


4600 HI LIFT AND SLIDE
Profiles to scale



COR-2754	
Descripción Description	Guía de 65 mm 65 mm guide
Peso Weight (g/m)	777,6
Superficie Surface (dm ² /m)	43,42
I_x (cm ⁴)	9,13
I_y (cm ⁴)	13
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2




COR-2755	
Descripción Description	Guía de 70 mm 70 mm guide
Peso Weight (g/m)	810
Superficie Surface (dm ² /m)	44,33
I_x (cm ⁴)	9,48
I_y (cm ⁴)	16,21
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2




COR-2756	
Descripción Description	Guía de 75 mm 75 mm guide
Peso Weight (g/m)	828,9
Superficie Surface (dm ² /m)	44,99
I_x (cm ⁴)	9,72
I_y (cm ⁴)	18,84
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2

4600 CORREDERA ELEVABLE HI
Perfiles a escala


4600 HI LIFT AND SLIDE
Profiles to scale



COR-2757	
Descripción Description	Guía de 80 mm 80 mm guide
Peso Weight (g/m)	847,8
Superficie Surface (dm ² /m)	46,33
I_x (cm ⁴)	9,91
I_y (cm ⁴)	22,59
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2




COR-2758	
Descripción Description	Guía de 85 mm 85 mm guide
Peso Weight (g/m)	866,7
Superficie Surface (dm ² /m)	46,99
I_x (cm ⁴)	10,13
I_y (cm ⁴)	25,79
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2




COR-2759	
Descripción Description	Guía de 90 mm 90 mm guide
Peso Weight (g/m)	885,6
Superficie Surface (dm ² /m)	48,32
I_x (cm ⁴)	10,3
I_y (cm ⁴)	30,36
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2

4600 CORREDERA ELEVABLE HI
Perfiles a escala

4600 HI LIFT AND SLIDE
Profiles to scale




COR-2760	
Descripción Description	Guía de 95 mm 95 mm guide
Peso Weight (g/m)	918
Superficie Surface (dm ² /m)	48,83
I_x (cm ⁴)	10,72
I_y (cm ⁴)	34,47
Observaciones Observations	Tornillo Ø3,9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2




COR-2761	
Descripción Description	Guía de 100 mm 100 mm guide
Peso Weight (g/m)	950,4
Superficie Surface (dm ² /m)	49,73
I_x (cm ⁴)	11,1
I_y (cm ⁴)	39,59
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2

4600 CORREDERA ELEVABLE HI
Perfiles a escala

4600 HI LIFT AND SLIDE
Profiles to scale




COR-2763	
Descripción Description	Guía de 110 mm 110 mm guide
Peso Weight (g/m)	977,4
Superficie Surface (dm ² /m)	52,13
Ix (cm ⁴)	11,4
Iy (cm ⁴)	50,19
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2




COR-2765	
Descripción Description	Guía de 120 mm 120 mm guide
Peso Weight (g/m)	1028,7
Superficie Surface (dm ² /m)	53,82
Ix (cm ⁴)	63,68
Iy (cm ⁴)	11,77
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2

4600 CORREDERA ELEVABLE HI
Perfiles a escala

4600 HI LIFT AND SLIDE
Profiles to scale



COR-7251	
Descripción Description	Unión de marcos oculta Concealed frame joint profile
Peso Weight (g/m)	105,3
Superficie Surface (dm ² /m)	5,15
I_x (cm ⁴)	0,02
I_y (cm ⁴)	0,08
Observaciones Observations	Tornillo Ø2.9 mm DIN7504N-A2 Ø2.9 mm DIN7504N-A2 screw



COR-4607	
Descripción Description	Vierteaguas Rain gutter
Peso Weight (g/m)	251,1
Superficie Surface (dm ² /m)	11,05
I_x (cm ⁴)	0,98
I_y (cm ⁴)	0,35
Juntas Gaskets	232401

aluminiosiberica.pai.pt



Aluminios Iberica, Lda

Sede e Fábrica: Rua parque Industrial, Nº 126
4720-536 Lago Amares
Telef. 253 310 250 / 253 310 251 Fax. 253 311 830
Email: geral@aluminiosiberica.pt

Filiais:

Vila Real Lugar de Couços – EN 115
5000-122 Justes – Vila Real
Telef. 259 331 778 / Fax. 259 928 092
Email: vreal@aluminiosiberica.pt



EXEMPLO CONCRETO
Painéis Sandwich - Perfis - Chapas - Remates - Acessórios

Vila Nova de Gaia (Exemplo Concreto, LDA)
Rua Nova de São Caetano, nº3
4405-819 Vilar do Paraíso
Telef. 227 629 539
Email: gaia@exemploconcreto.com



Armazém: Est. Do Campo de Aviação
3510-824 Campo – Viseu
Telef. 232 459 138 / 232 459 741
Fax. 232 450 140
Email: geral@alviz.pt



Armazém: Zona Industrial de Vilamoura
Lote 28 - Apartado 841
8126 -910 Quarteira
Telef. 289 322 748 Fax. 289 301 928
Email: pala.loule@sapo.pt



Armazém: Av. Almirante Gago Coutinho
Portela de Sintra - Apartado 212
2711 - 901 Sintra
Telef. 219 244 074 / 219 244 101 Fax. 219 241 015
Email: angularlda@sapo.pt