



Aluminios Iberica, Lda



PALA - MIGUEL & REIS, LDA.



EXEMPLO CONCRETO

Painéis Sandwich - Perfis - Chapas - Remates - Acessórios



ALUMÍNIOS DE VISEU, LDA.




ANGULAR - Alumínios, Lda.

Catálogo COR Vision




COR VISION
Perfiles a escala

COR VISION
Profiles to scale



COR-4389

Descripción Description	Marco HI con carril inox. HI frame with stainless steel
Peso Weight (g/m)	2019,8
Superficie Surface (dm ² /m)	83,12
Ix (cm ⁴)	6,81
Iy (cm ⁴)	106,26
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220
Escuadra alineamiento Alignment cleat	960023




COR-4339

Descripción Description	Marco con carril inox Frame with stainless steel rail
Peso Weight (g/m)	2019,8
Superficie Surface (dm ² /m)	83,12
Ix (cm ⁴)	6,81
Iy (cm ⁴)	106,26
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220
Escuadra alineamiento Alignment cleat	960023


COR VISION
Perfiles a escala

COR VISION
Profiles to scale




COR-4388

Descripción Description	Marco HI para hoja y fijo con carril de inox. HI frame for sash and fixed with stainless steel rail
Peso Weight (g/m)	1787,6
Superficie Surface (dm ² /m)	70,77
Ix (cm ⁴)	2,39
Iy (cm ⁴)	78,92
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220




COR-4342

Descripción Description	Marco para hoja y fijo con carril de inox. Frame for sash and fixed with stainless steel rail
Peso Weight (g/m)	1787,6
Superficie Surface (dm ² /m)	70,77
Ix (cm ⁴)	2,39
Iy (cm ⁴)	78,92
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220




COR-4385

Descripción Description	Marco HI lateral galandage con carril de acero inoxidable HI lateral frame galandage with stainless Steel rail
Peso Weight (g/m)	1906,4
Superficie Surface (dm²/m)	76,99
Ix (cm⁴)	4,7
Iy (cm⁴)	91,71
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220
Escuadra alineamiento Alignment cleat	960023




COR-4345

Descripción Description	Marco lateral galandage con carril de acero inoxidable Galandage lateral frame with stainless steel rail
Peso Weight (g/m)	1906,4
Superficie Surface (dm²/m)	76,99
Ix (cm⁴)	4,7
Iy (cm⁴)	91,71
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220
Escuadra alineamiento Alignment cleat	960023



COR-4380

Descripción Description	Marco perimetral HI HI perimeter frame
Peso Weight (g/m)	1803,8
Superficie Surface (dm ² /m)	71,9
Ix (cm ⁴)	5,54
Iy (cm ⁴)	96,64
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220
Escuadra alineamiento Alignment cleat	960023




COR-4330

Descripción Description	Marco perimetral Perimeter frame
Peso Weight (g/m)	1803,8
Superficie Surface (dm ² /m)	71,9
Ix (cm ⁴)	5,54
Iy (cm ⁴)	96,64
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220
Escuadra alineamiento Alignment cleat	960023


COR VISION
Perfiles a escala

COR VISION
Profiles to scale




COR-4381

Descripción Description	Marco HI para hoja y fijo HI frame for sash and fixed
Peso Weight (g/m)	1633,7
Superficie Surface (dm ² /m)	63,53
Ix (cm ⁴)	1,92
Iy (cm ⁴)	71,7
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220




COR-4343


Descripción Description	Marco para hoja y fijo Frame for sash and fixed
Peso Weight (g/m)	1633,7
Superficie Surface (dm ² /m)	63,53
Ix (cm ⁴)	1,92
Iy (cm ⁴)	71,7
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220




COR-4337	
Descripción Description	Marco HI para fijo HI frame for fixed
Peso Weight (g/m)	1766
Superficie Surface (dm ² /m)	71,54
Ix (cm ⁴)	3,97
Iy (cm ⁴)	85,26
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220
Escuadra alineamiento Alignment cleat	960023




COR-4347	
Descripción Description	Marco para fijo Frame for fixed
Peso Weight (g/m)	1766
Superficie Surface (dm ² /m)	71,54
Ix (cm ⁴)	3,97
Iy (cm ⁴)	85,26
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220
Escuadra alineamiento Alignment cleat	960023




COR-4391	
Descripción Description	Marco HI tricarril con marco inox. HI three rail frame with stainless steel frame
Peso Weight (g/m)	3019
Superficie Surface (dm ² /m)	117,25
Ix (cm ⁴)	8,17
Iy (cm ⁴)	346,82
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220
Escuadra alineamiento Alignment cleat	960023




COR-4341	
Descripción Description	Marco tricarril con carril de inox. Three rail frame with stainless steel rail
Peso Weight (g/m)	3019
Superficie Surface (dm ² /m)	117,25
Ix (cm ⁴)	8,17
Iy (cm ⁴)	346,82
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220
Escuadra alineamiento Alignment cleat	960023




COR-4387	
Descripción Description	Marco HI tricarril para 2 hojas y fijo con carril de inox HI three rail frame for 2 sashes and fixed with stainless steel rail
Peso Weight (g/m)	2905,6
Superficie Surface (dm ² /m)	111,12
Ix (cm ⁴)	5,88
Iy (cm ⁴)	311,61
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220
Escuadra alineamiento Alignment cleat	960023




COR-4349	
Descripción Description	Marco tricarril para 2 hojas y fijo con carril de inox Three rail frame for 2 sashes and fixed with stainless steel rail
Peso Weight (g/m)	2905,6
Superficie Surface (dm ² /m)	111,12
Ix (cm ⁴)	5,88
Iy (cm ⁴)	311,61
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220
Escuadra alineamiento Alignment cleat	960023




COR-4383	
Descripción Description	Marco perimetral tricarril HI HI three rail perimeter frame
Peso Weight (g/m)	2719,3
Superficie Surface (dm ² /m)	101,91
Ix (cm ⁴)	6,69
Iy (cm ⁴)	310,42
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220
Escuadra alineamiento Alignment cleat	960023



COR-4333	
Descripción Description	Marco perimetral tricarril Three rail perimeter frame
Peso Weight (g/m)	2719,3
Superficie Surface (dm ² /m)	101,91
Ix (cm ⁴)	6,69
Iy (cm ⁴)	310,42
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220
Escuadra alineamiento Alignment cleat	960023




COR-4386	
Descripción Description	Marco HI tricarril para 2 hojas y fijo HI three rail frame for 2 sashes and fixed
Peso Weight (g/m)	2651,8
Superficie Surface (dm ² /m)	99,03
Ix (cm ⁴)	4,88
Iy (cm ⁴)	283,01
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220
Escuadra alineamiento Alignment cleat	960023




COR-4348	
Descripción Description	Marco tricarril para 2 hojas y fijo Three rail frame for 2 sashes and fixed
Peso Weight (g/m)	2651,8
Superficie Surface (dm ² /m)	99,03
Ix (cm ⁴)	4,88
Iy (cm ⁴)	283,01
Escuadra principal Main cleat	248220
Troquel Punch tool	304398
Escuadra secundaria Secondary cleat	248220
Escuadra alineamiento Alignment cleat	960023

COR VISION
Perfiles a escala

COR VISION
Profiles to scale




COR-4323	
Descripción Description	Hoja lateral de balconera Balcony lateral sash
Peso Weight (g/m)	2102,8
Superficie Surface (dm ² /m)	73,66
Ix (cm⁴)	42,21
Iy (cm⁴)	28,98
Fresa Miller	304390
Tapas Covers	344361 344362
Tornillería Screws	344355 814819 823519




COR-4369	
Descripción Description	Hoja lateral de balconera tirador interior Balcony lateral sash with interior handle
Peso Weight (g/m)	1862,5
Superficie Surface (dm ² /m)	68,47
Ix (cm⁴)	33,29
Iy (cm⁴)	18,46
Fresa Miller	304390
Tapas Covers	344361 344362
Tornillería Screws	344355 814819 823519

COR VISION
Perfiles a escala

COR VISION
Profiles to scale




COR-4319	
Descripción Description	Hoja lateral de balconera sin tirador Balcony lateral sash without handle
Peso Weight (g/m)	1622,2
Superficie Surface (dm ² /m)	63,28
Ix (cm ⁴)	21,44
Iy (cm ⁴)	10,47
Fresa Miller	304390
Tapas Covers	344361 344362
Tornillería Screws	344355 814819 823519




COR-4320	
Descripción Description	Hoja lateral con tirador Lateral sash with handle
Peso Weight (g/m)	1616,8
Superficie Surface (dm ² /m)	53,5
Ix (cm ⁴)	13,22
Iy (cm ⁴)	25,2
Troquel Punch tool	304398
Tapas Covers	304360 344360
Tornillería Screws	304355 814819 823519

COR VISION
Perfiles a escala


COR VISION
Profiles to scale




COR-4322	
Descripción Description	Hoja lateral ventana Window lateral sash
Peso Weight (g/m)	1368,4
Superficie Surface (dm ² /m)	48,26
Ix (cm⁴)	9,95
Iy (cm⁴)	14,14
Troquel Punch tool	304398
Tapas Covers	304360 344360
Tornillería Screws	304355 814819 823519



COR-4371	
Descripción Description	Hoja lateral embutida Inlaid lateral sash
Peso Weight (g/m)	665,8
Superficie Surface (dm ² /m)	20,38
Ix (cm⁴)	0,42
Iy (cm⁴)	3,11
Tapas Covers	394371




COR-4324	
Descripción Description	Hoja de ruedas (material sintético) Bearing profile (synthetic material)




COR-4314	
Descripción Description	Hoja de ruedas Bearing profile
Peso Weight (g/m)	648
Superficie Surface (dm ² /m)	19,65
Ix (cm⁴)	0,69
Iy (cm⁴)	4,41
Observaciones Observations	Disminuye el valor de transmitancia térmica del sistema Decreases the thermal transmittance value of the system

COR VISION
Perfiles a escala


COR VISION
Profiles to scale




COR-4325	
Descripción Description	Patín de ruedas Bearing profile
Peso Weight (g/m)	318,6
Superficie Surface (dm ² /m)	9,45
Ix (cm⁴)	0,04
Iy (cm⁴)	1,38
Observaciones Observations	Perfil en lacado negro mate - Ral 9011CM Black lacquered profile ? Ral 9011CM




COR-4326	
Descripción Description	Hoja central Central sash
Peso Weight (g/m)	631,8
Superficie Surface (dm ² /m)	20,66
Ix (cm⁴)	0,35
Iy (cm⁴)	10,26
Fresa Miller	304390
Troquel Punch tool	304398
Tapas Covers	304361 304371
Tornillería Screws	304355 822919




COR-4327	
Descripción Description	Hoja central balconera Balcony central sash
Peso Weight (g/m)	1444,5
Superficie Surface (dm ² /m)	44,36
Ix (cm⁴)	2,61
Iy (cm⁴)	54,84
Fresa Miller	304390 304391
Troquel Punch tool	304398
Tapas Covers	304361 304371 304372
Tornillería Screws	304355 822919



COR-4328	
Descripción Description	Hoja central balconera reforzada Balcony reinforced central sash
Peso Weight (g/m)	1860,3
Superficie Surface (dm ² /m)	51,36
Ix (cm ⁴)	3,49
Iy (cm ⁴)	101,39
Fresa Miller	304390
Troquel Punch tool	304398
Tapas Covers	304361 304371 304373
Tornillería Screws	304355 822919




COR-4376	
Descripción Description	Hoja central invertida para fijo Central inverted sash for fixed light
Peso Weight (g/m)	985,5
Superficie Surface (dm ² /m)	21,33
Ix (cm ⁴)	1,81
Iy (cm ⁴)	5,71
Fresa Miller	304391




COR-4377	
Descripción Description	Hoja central invertida para cierre Inverted central sash for closing
Peso Weight (g/m)	1895,4
Superficie Surface (dm ² /m)	48,53
Ix (cm ⁴)	5,14
Iy (cm ⁴)	48,63
Tapas Covers	394305 394306 394311 394312

COR VISION
Perfiles a escala


COR VISION
Profiles to scale



COR-4378	
Descripción Description	Hoja central para cierre Central sash for closing
Peso Weight (g/m)	2246,4
Superficie Surface (dm ² /m)	59,77
Ix (cm ⁴)	5,64
Iy (cm ⁴)	100,26
Tapas Covers	394301 394302 394305 394306




771441	
Descripción Description	Hoja central con refuerzo Centra sash with reinforcement
Peso Weight (g/m)	1285,2
Superficie Surface (dm ² /m)	37,58
Ix (cm ⁴)	2,08
Iy (cm ⁴)	36,5
Fresa Miller	304390
Tapas Covers	374372




COR-4362	
Descripción Description	Hoja central para fijo Central sash for fixed
Peso Weight (g/m)	1082,7
Superficie Surface (dm ² /m)	23,26
Ix (cm ⁴)	1,14
Iy (cm ⁴)	19,1
Fresa Miller	304391
Tornillería Screws	813532

COR VISION
Perfiles a escala


COR VISION
Profiles to scale




COR-4361	
Descripción Description	Hoja lateral esquinero Corner lateral sash
Peso Weight (g/m)	2188,6
Superficie Surface (dm ² /m)	77,93
Ix (cm⁴)	20,8
Iy (cm⁴)	38,84
Tapas Covers	304364
	304365
Tornillería Screws	824219



COR-4284	
Descripción Description	Tapa remate Galandage Galandage end plate cover
Peso Weight (g/m)	561,5
Superficie Surface (dm ² /m)	28,78
Ix (cm⁴)	2,1
Iy (cm⁴)	15,98




COR-4335	
Descripción Description	Tapa drenaje aislante marco Frame isolating drainage end plate
Peso Weight (g/m)	75,6
Superficie Surface (dm ² /m)	4,08
Iy (cm⁴)	0,07




COR-4336	
Descripción Description	Tapa lateral marco Frame lateral end plate
Peso Weight (g/m)	356,4
Superficie Surface (dm ² /m)	17,91
Ix (cm⁴)	0,77
Iy (cm⁴)	3,48

COR VISION
Perfiles a escala


COR VISION
Profiles to scale




COR-4338	
Descripción Description	Tapa canal fijo Fixed channel end p.ate
Peso Weight (g/m)	332,1
Superficie Surface (dm ² /m)	18,93
Ix (cm ⁴)	0,77
Iy (cm ⁴)	1,27




COR-4350	
Descripción Description	Unión de cuatro hojas Four sash union
Peso Weight (g/m)	526,5
Superficie Surface (dm ² /m)	14,94
Ix (cm ⁴)	0,25
Iy (cm ⁴)	2,35
Tapas Covers	304366 344366 354366
Tornillería Screws	823519




COR-4397	
Descripción Description	Suplemento marco Frame supplement
Peso Weight (g/m)	1911,8
Superficie Surface (dm ² /m)	73,32
Ix (cm ⁴)	12,36
Iy (cm ⁴)	89,59




COR-4398	
Descripción Description	Suplemento marco tricarril Three frame supplement
Peso Weight (g/m)	2980,4
Superficie Surface (dm ² /m)	110,35
Ix (cm ⁴)	18,49
Iy (cm ⁴)	305,27




COR-4365	
Descripción Description	Junquillo interior Internal beading
Peso Weight (g/m)	183,6
Superficie Surface (dm ² /m)	9,51
Ix (cm ⁴)	0,39
Iy (cm ⁴)	0,04




COR-3837	
Descripción Description	Suplemento drenaje 180 mm Subcill 180 mm
Peso Weight (g/m)	2630
Superficie Surface (dm ² /m)	94
Ix (cm ⁴)	7,95
Iy (cm ⁴)	291,1
Tapas Covers	383802
Observaciones Observations	Escuadra regulable 908508 Adjustable cleat 908508




COR-3838	
Descripción Description	Suplemento drenaje 230 mm Subcill 230 mm
Peso Weight (g/m)	3164,6
Superficie Surface (dm ² /m)	113,82
Ix (cm ⁴)	9,72
Iy (cm ⁴)	570,76
Tapas Covers	383812
Observaciones Observations	Escuadra regulable 908508 Adjustable cleat 908508




COR-4283	
Descripción Description	Remate Galandage Galandage cover
Peso Weight (g/m)	661,5
Superficie Surface (dm ² /m)	31,92
Ix (cm ⁴)	2,04
Iy (cm ⁴)	17,46
Observaciones Observations	Tornillo Ø4,2 mm DIN 7981 Screw Ø4,2 mm DIN 7981




COR-4302	
Descripción Description	Acople solera marco inferior Bottom frame sub sill
Peso Weight (g/m)	3440
Superficie Surface (dm ² /m)	119,14
Ix (cm ⁴)	40,23
Iy (cm ⁴)	177,75
Tapas Covers	374302
Observaciones Observations	Perfil de 6.5 m mecanizado cada 400 mm 6.5 m profile machined w/400 mm




COR-4304	
Descripción Description	Acople solera marco inferior tricarril Bottom frame subcill three rail
Peso Weight (g/m)	4898,2
Superficie Surface (dm ² /m)	167,57
Ix (cm ⁴)	58,23
Iy (cm ⁴)	596,27
Tapas Covers	374307
Observaciones Observations	Perfil de 6.5 m mecanizado cada 400 mm 6.5 m profile machined w/400 mm




COR-4311	
Descripción Description	Carril de rodadura Railing
Material Material	Acero inoxidable AISI 316 Stainless steel AISI 316




COR-4329	
Descripción Description	Engatillado hoja central Central sash hem



COR-4331	
Descripción Description	Aislante de marco (material sintético) Frame isolator (synthetic material)
Troquel Punch tool	304398
Tornillería Screws	814232



COR-4351	
Descripción Description	Acople para fijo Adaptor for fixed
Peso Weight (g/m)	1341,1
Superficie Surface (dm ² /m)	51,54
Ix (cm ⁴)	2,29
Iy (cm ⁴)	57,34




COR-4352	
Descripción Description	Acople para fijo HI Adaptor for fixed HI
Peso Weight (g/m)	1341,1
Superficie Surface (dm ² /m)	51,54
Ix (cm ⁴)	2,29
Iy (cm ⁴)	57,34




COR-4355	
Descripción Description	Remate exterior Galandage Outwards finishing Galandage
Peso Weight (g/m)	1031,4
Superficie Surface (dm ² /m)	24,38
Ix (cm ⁴)	3,8
Iy (cm ⁴)	16,67

COR VISION
Perfiles a escala


COR VISION
Profiles to scale




COR-4356	
Descripción Description	Complemento Galandage bicarril Two rail complement Galdange
Peso Weight (g/m)	459
Superficie Surface (dm ² /m)	15,13
Ix (cm ⁴)	0,97
Iy (cm ⁴)	1,65



COR-4357	
Descripción Description	Complemento Galandage tricarril Three rail complement Galandage
Peso Weight (g/m)	1017,9
Superficie Surface (dm ² /m)	29,23
Ix (cm ⁴)	1,52
Iy (cm ⁴)	36,36




COR-4379	
Descripción Description	Engatillado invertido CV Inverted hem CV






COR-4792	
Descripción Description	Suplemento drenaje 250 mm Subcill 250 mm
Peso Weight (g/m)	3500,5
Superficie Surface (dm ² /m)	125,22
Ix (cm ⁴)	10,97
Iy (cm ⁴)	712,01
Tapas Covers	414702

COR VISION
Perfiles a escala

COR VISION
Profiles to scale



COR-4891	
Descripción Description	Canaleta de recogida Pickup duct
Peso Weight (g/m)	1830,6
Superficie Surface (dm ² /m)	67,53
Ix (cm⁴)	76,38
Iy (cm⁴)	66,21
Tapas Covers	374897








10417	
Descripción Description	Pletina de 15x5 mm 15x5 mm plate
Peso Weight (g/m)	202,5
Superficie Surface (dm ² /m)	4,05
Ix (cm⁴)	0,02
Iy (cm⁴)	0,14

COR-4315	
Descripción Description	Refuerzo inox 15x5 mm Stainless steel reinforcement 15x5 mm
Ix (cm⁴)	0,02
Iy (cm⁴)	0,14

600808	
Descripción Description	Refuerzo 8x8 mm Reinforcement 8x8 mm
Peso Weight (g/m)	172,8
Superficie Surface (dm ² /m)	3,2
Ix (cm⁴)	0,03
Iy (cm⁴)	0,03

COR VISION
Perfiles a escala

COR VISION
Profiles to scale



15919	
Descripción Description	Tapeta canal Channel cover
Peso Weight (g/m)	72,9
Superficie Surface (dm ² /m)	4,61

771442	
Descripción Description	Hoja mosquitera Mosquito net sash
Peso Weight (g/m)	580,5
Superficie Surface (dm ² /m)	23,02
Ix (cm⁴)	0,77
Iy (cm⁴)	3,65
Escuadra principal Main cleat	248220


771443	
Descripción Description	Tapa hoja mosquitera Mosquito net sash cover
Peso Weight (g/m)	153,9
Superficie Surface (dm ² /m)	8,93
Ix (cm⁴)	0,04
Iy (cm⁴)	0,39

COR-1761	
Descripción Description	Divisor mosquitera Mosquito net divider
Peso Weight (g/m)	629,1
Superficie Surface (dm ² /m)	30,88
Ix (cm⁴)	8,17
Iy (cm⁴)	0,81
Observaciones Observations	Tornillos DIN 7981 Ø3,5 Screw DIN 7981 Ø3,5


COR-2130	
Descripción Description	Pletina falleba poliamida Polyamide espagnolette

COR VISION
Perfiles a escala


COR VISION
Profiles to scale




COR-2843	
Descripción Description	Grapa para enganche postizo Clip for coupling for hook
Peso Weight (g/m)	116,1
Superficie Surface (dm ² /m)	6,17
Ix (cm⁴)	0,02
Iy (cm⁴)	0,07
Tornillería Screws	822919



COR-2890	
Descripción Description	Complemento tapa registro (para panel) Register cover complement (for panel)
Peso Weight (g/m)	280,8
Superficie Surface (dm ² /m)	15,65
Ix (cm⁴)	0,37
Iy (cm⁴)	0,73
Tornillería Screws	853913







COR-2891	
Descripción Description	Asiento tapa registro Register cover seat
Peso Weight (g/m)	159,3
Superficie Surface (dm ² /m)	7,92
Ix (cm⁴)	0,23
Iy (cm⁴)	0,19



COR-2892	
Descripción Description	Complemento tapa registro (panel 20 mm) Register cover complement (for 20 mm panel)
Peso Weight (g/m)	332,1
Superficie Surface (dm ² /m)	19,08
Ix (cm⁴)	0,54
Iy (cm⁴)	1,31

COR VISION
Perfiles a escala

COR VISION
Profiles to scale



COR-5057	
Descripción Description	Complemento tapa registro (para chapa) Register cover complement (for plate)
Peso Weight (g/m)	191,7
Superficie Surface (dm ² /m)	12,06
Ix (cm⁴)	0,14
Iy (cm⁴)	0,5
Tornillería Screws	853913


802020	
Descripción Description	Tubo de 20x20x1.3 20x20x1.3 mm tube
Peso Weight (g/m)	264,6
Superficie Surface (dm ² /m)	14,96
Ix (cm⁴)	0,57
Iy (cm⁴)	0,57

770048	
Descripción Description	Tubo 30x43 Tube 30x43
Peso Weight (g/m)	567
Superficie Surface (dm ² /m)	27,91
Ix (cm⁴)	5,46
Iy (cm⁴)	3,1


812040	
Descripción Description	Tubo 120 mm x 40 mm 120 mm x 40 mm tube
Peso Weight (g/m)	1522,8
Superficie Surface (dm ² /m)	62,66
Ix (cm⁴)	17,22
Iy (cm⁴)	97,61




770216	
Descripción Description	Tubo 150x40 Tube 150x40
Peso Weight (g/m)	2592
Superficie Surface (dm ² /m)	73,8
Ix (cm ⁴)	28,55
Iy (cm ⁴)	254,08




COR-7056	
Descripción Description	Alargadera de 60 mm 60 mm cill
Peso Weight (g/m)	307,8
Superficie Surface (dm ² /m)	15,57
Ix (cm ⁴)	0,15
Iy (cm ⁴)	5
Tornillería Screws	812913




COR-7055	
Descripción Description	Alargadera de 85 mm 85 mm cill
Peso Weight (g/m)	434,7
Superficie Surface (dm ² /m)	20,54
Ix (cm ⁴)	0,19
Iy (cm ⁴)	12,95
Tornillería Screws	812913




COR-7057	
Descripción Description	Alargadera de 120 mm 120 mm cill
Peso Weight (g/m)	618,3
Superficie Surface (dm ² /m)	27,5
Ix (cm ⁴)	0,23
Iy (cm ⁴)	33,9
Tornillería Screws	812913




COR-7073	
Descripción Description	Alargadera de 150 mm 150 mm cill
Peso Weight (g/m)	764,1
Superficie Surface (dm ² /m)	33,66
Ix (cm ⁴)	0,22
Iy (cm ⁴)	64,13
Tornillería Screws	812913



COR-7072	
Descripción Description	Alargadera de 180 mm 180 mm cill
Peso Weight (g/m)	950,4
Superficie Surface (dm ² /m)	39,66
Ix (cm ⁴)	0,26
Iy (cm ⁴)	110,95
Tornillería Screws	812913




COR-2816	
Descripción Description	Tapé achaflanado de 108 mm Bevelled cap of 108 mm
Peso Weight (g/m)	753,3
Superficie Surface (dm ² /m)	29,58
Ix (cm ⁴)	0,64
Iy (cm ⁴)	37,19




COR-1780	
Descripción Description	Tapé recto de 28,5 mm Straight cap of 28,5 mm
Peso Weight (g/m)	388,8
Superficie Surface (dm ² /m)	18,5
Ix (cm ⁴)	2,01
Iy (cm ⁴)	1,87

COR VISION
Perfiles a escala


COR VISION
Profiles to scale




COR-1781	
Descripción Description	Tapé recto de 48,5 mm Straight cap of 48,5 mm
Peso Weight (g/m)	480,6
Superficie Surface (dm ² /m)	22,5
Ix (cm⁴)	2,25
Iy (cm⁴)	5,96




COR-1784	
Descripción Description	Tapé recto de 58,5 mm Straight cap of 58,5 mm
Peso Weight (g/m)	529,2
Superficie Surface (dm ² /m)	24,52
Ix (cm⁴)	2,34
Iy (cm⁴)	9,28



COR-1782	
Descripción Description	Tapé recto de 68,5 mm Straight cap of 68,5 mm
Peso Weight (g/m)	572,4
Superficie Surface (dm ² /m)	26,5
Ix (cm⁴)	2,41
Iy (cm⁴)	13,47




COR-1783	
Descripción Description	Tapé recto de 88,5 mm Straight cap of 88,5 mm
Peso Weight (g/m)	664,2
Superficie Surface (dm ² /m)	30,5
Ix (cm⁴)	2,53
Iy (cm⁴)	25,14




COR-1785

Descripción Description	Tapé recto de 108,50 mm Straight cap of 108,50 mm
Peso Weight (g/m)	756
Superficie Surface (dm ² /m)	34,57
Ix (cm ⁴)	2,62
Iy (cm ⁴)	41,58




COR-1786

Descripción Description	Tapé recto de 128,50 mm Straight cap of 128,50 mm
Peso Weight (g/m)	847,8
Superficie Surface (dm ² /m)	38,57
Ix (cm ⁴)	2,69
Iy (cm ⁴)	63,65




COR-2819


Descripción Description	Alargadera con enganche de 40 mm Extension with attachment of 40 mm
Peso Weight (g/m)	353,7
Superficie Surface (dm ² /m)	15,8
Ix (cm ⁴)	1,12
Iy (cm ⁴)	3,38



COR-2817	
Descripción Description	Alargadera con enganche de 100 mm Extension with attachment of 100 mm
Peso Weight (g/m)	626,4
Superficie Surface (dm ² /m)	27,69
Ix (cm ⁴)	1,34
Iy (cm ⁴)	29,29




COR-2818	
Descripción Description	Alargadera con enganche de 160 mm Extension with attachment of 160 mm
Peso Weight (g/m)	901,8
Superficie Surface (dm ² /m)	39,76
Ix (cm ⁴)	1,47
Iy (cm ⁴)	97,1




COR-2751	
Descripción Description	Guía de persiana Shutter guide
Peso Weight (g/m)	807,3
Superficie Surface (dm ² /m)	42,97
Ix (cm ⁴)	6,77
Iy (cm ⁴)	8,16

COR VISION
Perfiles a escala


COR VISION
Profiles to scale



COR-2752	
Descripción Description	Guía de 50 mm 50 mm guide
Peso Weight (g/m)	758,7
Superficie Surface (dm ² /m)	41,84
Ix (cm⁴)	8,43
Iy (cm⁴)	9,58
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2




COR-2753	
Descripción Description	Guía de 60 mm 60 mm guide
Peso Weight (g/m)	761,4
Superficie Surface (dm ² /m)	42,42
Ix (cm⁴)	8,9
Iy (cm⁴)	10,72
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2




COR-2754	
Descripción Description	Guía de 65 mm 65 mm guide
Peso Weight (g/m)	777,6
Superficie Surface (dm ² /m)	43,42
Ix (cm⁴)	9,13
Iy (cm⁴)	13
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2

COR VISION
Perfiles a escala


COR VISION
Profiles to scale



COR-2755	
Descripción Description	Guía de 70 mm 70 mm guide
Peso Weight (g/m)	810
Superficie Surface (dm ² /m)	44,33
I_x (cm ⁴)	9,48
I_y (cm ⁴)	16,21
Observaciones Observations	Tornillo Ø3,9 mm DIN7504N-A2 Screw Ø3,9 mm DIN7504N-A2




COR-2756	
Descripción Description	Guía de 75 mm 75 mm guide
Peso Weight (g/m)	828,9
Superficie Surface (dm ² /m)	44,99
I_x (cm ⁴)	9,72
I_y (cm ⁴)	18,84
Observaciones Observations	Tornillo Ø3,9 mm DIN7504N-A2 Screw Ø3,9 mm DIN7504N-A2




COR-2757	
Descripción Description	Guía de 80 mm 80 mm guide
Peso Weight (g/m)	847,8
Superficie Surface (dm ² /m)	46,33
I_x (cm ⁴)	9,91
I_y (cm ⁴)	22,59
Observaciones Observations	Tornillo Ø3,9 mm DIN7504N-A2 Screw Ø3,9 mm DIN7504N-A2

COR VISION
Perfiles a escala


COR VISION
Profiles to scale



COR-2758	
Descripción Description	Guía de 85 mm 85 mm guide
Peso Weight (g/m)	866,7
Superficie Surface (dm ² /m)	46,99
Ix (cm⁴)	10,13
Iy (cm⁴)	25,79
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2




COR-2759	
Descripción Description	Guía de 90 mm 90 mm guide
Peso Weight (g/m)	885,6
Superficie Surface (dm ² /m)	48,32
Ix (cm⁴)	10,3
Iy (cm⁴)	30,36
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2



COR-2760	
Descripción Description	Guía de 95 mm 95 mm guide
Peso Weight (g/m)	918
Superficie Surface (dm ² /m)	48,83
Ix (cm⁴)	10,72
Iy (cm⁴)	34,47
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2


COR VISION
Perfiles a escala

COR VISION
Profiles to scale




COR-2761

Descripción Description	Guía de 100 mm 100 mm guide
Peso Weight (g/m)	950,4
Superficie Surface (dm ² /m)	49,73
Ix (cm ⁴)	11,1
Iy (cm ⁴)	39,59
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2




COR-2763

Descripción Description	Guía de 110 mm 110 mm guide
Peso Weight (g/m)	977,4
Superficie Surface (dm ² /m)	52,13
Ix (cm ⁴)	11,4
Iy (cm ⁴)	50,19
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2



COR-2765

Descripción Description	Guía de 120 mm 120 mm guide
Peso Weight (g/m)	1028,7
Superficie Surface (dm²/m)	53,82
Ix (cm⁴)	63,68
Iy (cm⁴)	11,77
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2




COR-2766


Descripción Description	Guía de 125 mm 125 mm guide
Peso Weight (g/m)	1047,6
Superficie Surface (dm²/m)	54,82
Ix (cm⁴)	11,93
Iy (cm⁴)	70,69
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2

COR VISION
Perfiles a escala


COR VISION
Profiles to scale



COR-2705	
Descripción Description	Grapa para solapes Clip for overlap
Peso Weight (g/m)	232,2
Superficie Surface (dm ² /m)	112,1
Ix (cm⁴)	0,58
Iy (cm⁴)	0,23
Tornillería Screws	853913




COR-2744	
Descripción Description	Grapa para solapes Clip for overlap
Peso Weight (g/m)	348,3
Superficie Surface (dm ² /m)	13,98
Ix (cm⁴)	1,84
Iy (cm⁴)	0,36
Tornillería Screws	853913



COR-2842	
Descripción Description	Grapa para solapes Clip for overlap
Peso Weight (g/m)	261,9
Superficie Surface (dm ² /m)	12,73
Ix (cm⁴)	0,9
Iy (cm⁴)	0,24
Tornillería Screws	853913




COR-1772	
Descripción Description	Solape de 25 mm 25 mm overlap
Peso Weight (g/m)	156,6
Superficie Surface (dm ² /m)	80,6
Ix (cm⁴)	0,39
Iy (cm⁴)	0,02




COR-1770	
Descripción Description	Solape de 35 mm 35 mm overlap
Peso Weight (g/m)	197,1
Superficie Surface (dm ² /m)	10,05
Ix (cm⁴)	0,95
Iy (cm⁴)	0,03

COR VISION
Perfiles a escala


COR VISION
Profiles to scale



COR-1774	
Descripción Description	Solape de 35x13,5 mm 35x13,5 mm overlap
Peso Weight (g/m)	240,3
Superficie Surface (dm ² /m)	12,27
Ix (cm⁴)	1,42
Iy (cm⁴)	0,11




COR-1773	
Descripción Description	Solape de 45 mm 45 mm overlap
Peso Weight (g/m)	237,6
Superficie Surface (dm ² /m)	12,06
Ix (cm⁴)	1,87
Iy (cm⁴)	0,03




COR-1776	
Descripción Description	Solape de 55 mm 55 mm overlap
Peso Weight (g/m)	278,1
Superficie Surface (dm ² /m)	14,06
Ix (cm⁴)	3,23
Iy (cm⁴)	0,28

COR VISION
Perfiles a escala


COR VISION
Profiles to scale



COR-1777	
Descripción Description	Solape de 65 mm 65 mm overlap
Peso Weight (g/m)	318,6
Superficie Surface (dm ² /m)	16,06
Ix (cm⁴)	5,1
Iy (cm⁴)	0,29




COR-1778	
Descripción Description	Solape de 75 mm 75 mm overlap
Peso Weight (g/m)	35,91
Superficie Surface (dm ² /m)	18,06
Ix (cm⁴)	7,57
Iy (cm⁴)	0,29




COR-2839	
Descripción Description	Solape recto de 40 mm 40 mm straight overlap
Peso Weight (g/m)	232,2
Superficie Surface (dm ² /m)	14,42
Ix (cm⁴)	1,59
Iy (cm⁴)	0,04
Escuadra alineamiento Alignment cleat	920135
Observaciones Observations	Grapa 2744 Clip 2744

COR VISION
Perfiles a escala

COR VISION
Profiles to scale




COR-7026	
Descripción Description	Solape de 50 mm 50 mm overlap
Peso Weight (g/m)	340,2
Superficie Surface (dm ² /m)	20,45
I_x (cm ⁴)	2,99
I_y (cm ⁴)	0,18
Escuadra alineamiento Alignment cleat	207004 277004
Observaciones Observations	Grapa 2744 Clip 2744




COR-7029	
Descripción Description	Solape de 65 mm 65 mm overlap
Peso Weight (g/m)	394,2
Superficie Surface (dm ² /m)	23,45
I_x (cm ⁴)	5,75
I_y (cm ⁴)	0,2
Escuadra alineamiento Alignment cleat	207004 277004
Observaciones Observations	Grapa 2744 Clip 2744

COR VISION
Perfiles a escala


COR VISION
Profiles to scale



COR-7027	
Descripción Description	Solape de 85 mm 85 mm overlap
Peso Weight (g/m)	464,4
Superficie Surface (dm ² /m)	25,82
Ix (cm⁴)	11,36
Iy (cm⁴)	0,12
Escuadra alineamiento Alignment cleat	207004 277004
Observaciones Observations	Grapa 2744 Clip 2744




COR-2831	
Descripción Description	Solape de 35 mm 35 mm overlap
Peso Weight (g/m)	159,3
Superficie Surface (dm ² /m)	9,31
Ix (cm⁴)	0,76
Iy (cm⁴)	0,02
Escuadra alineamiento Alignment cleat	242831
Grapa Clip	342842




COR-2835	
Descripción Description	Solape de 55 mm 55 mm overlap
Peso Weight (g/m)	253,8
Superficie Surface (dm ² /m)	14,4
Ix (cm⁴)	2,44
Iy (cm⁴)	0,03
Escuadra alineamiento Alignment cleat	242831
Grapa Clip	342842

COR VISION
Perfiles a escala


COR VISION
Profiles to scale



COR-2837	
Descripción Description	Solape de 70 mm 70 mm overlap
Peso Weight (g/m)	305,1
Superficie Surface (dm ² /m)	17,4
Ix (cm⁴)	4,74
Iy (cm⁴)	0,03
Escuadra alineamiento Alignment cleat	242831
Grapa Clip	342842




COR-2728	
Descripción Description	Solape recto de 55 mm Straight overlap 55 mm
Peso Weight (g/m)	270
Superficie Surface (dm ² /m)	16,03
Ix (cm⁴)	3,19
Iy (cm⁴)	0,02
Escuadra alineamiento Alignment cleat	912100
Observaciones Observations	Grapa 2705 Clip 2705




COR-2773	
Descripción Description	Solape recto de 65 mm Straight overlap 65 mm
Peso Weight (g/m)	299,7
Superficie Surface (dm ² /m)	17,49
Ix (cm⁴)	4,7
Iy (cm⁴)	0,02
Escuadra alineamiento Alignment cleat	912100 920135
Observaciones Observations	Grapa 2705 Clip 2705

COR VISION
Perfiles a escala


COR VISION
Profiles to scale



COR-2734	
Descripción Description	Solape de 77 mm 77 mm overlap
Peso Weight (g/m)	337,5
Superficie Surface (dm ² /m)	19,66
Ix (cm⁴)	7,31
Iy (cm⁴)	0,02
Escuadra alineamiento Alignment cleat	912100 920135
Observaciones Observations	Grapa 2705 Clip 2705




COR-2737	
Descripción Description	Solape con moldura de 70 mm Overlap with mould of 70 mm
Peso Weight (g/m)	399,6
Superficie Surface (dm ² /m)	22,59
Ix (cm⁴)	0,14
Iy (cm⁴)	6,27
Escuadra alineamiento Alignment cleat	245054
Observaciones Observations	Grapa plástica 252737, Tornillo rch Ø3.9mm DIN 7504N-A2 Plastic clip 252737, Screw rch Ø3.9mm DIN 7504N-A2




COR-2725	
Descripción Description	Solape recto 22 mm 22 mm straight overlap
Peso Weight (g/m)	245,7
Superficie Surface (dm ² /m)	11,2
Ix (cm⁴)	0,71
Iy (cm⁴)	0,2
Escuadra alineamiento Alignment cleat	212007
Observaciones Observations	Tornillo Ø3.9 mm DIN7504P-A2 Screw Ø3.9 mm DIN7504N-A2

COR VISION
Perfiles a escala


COR VISION
Profiles to scale



COR-2833	
Descripción Description	Tapajuntas atornillar 38 mm 38 mm flashings screw
Peso Weight (g/m)	259,2
Superficie Surface (dm ² /m)	16,08
I_x (cm ⁴)	1,74
I_y (cm ⁴)	0,37
Tornillería Screws	813919
Escuadra alineamiento Alignment cleat	277004




COR-7030	
Descripción Description	Solape de 48 mm 48 mm overlap
Peso Weight (g/m)	353,7
Superficie Surface (dm ² /m)	20,41
I_x (cm ⁴)	3,83
I_y (cm ⁴)	0,53
Escuadra alineamiento Alignment cleat	207004 277004
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N. Screw Ø3.9 mm DIN7504N.




COR-2834	
Descripción Description	Solape de 55 mm atornillar (en L) 55 mm overlap screw (in L)
Peso Weight (g/m)	340,2
Superficie Surface (dm ² /m)	19,71
I_x (cm ⁴)	4,91
I_y (cm ⁴)	0,28
Tornillería Screws	813919
Escuadra alineamiento Alignment cleat	207004 277004

COR VISION
Perfiles a escala


COR VISION
Profiles to scale



COR-2742	
Descripción Description	Solape de 60 mm para atornillar, saliente de 35 mm 60 mm overlap for screwing, protrusion of 35 mm
Peso Weight (g/m)	556,2
Superficie Surface (dm ² /m)	29,5
Ix (cm⁴)	11,32
Iy (cm⁴)	2,51
Escuadra alineamiento Alignment cleat	207004 277004
Observaciones Observations	Tornillo rch Ø3.9 mm DIN 7504N-A2. CONSULTAR DISPONIBILIDAD Screw rch Ø3.9 mm DIN 7504N-A2. CHECK AVAILABILITY




COR-5056	
Descripción Description	Solape de registro Register overlap
Peso Weight (g/m)	356,4
Superficie Surface (dm ² /m)	20,49
Ix (cm⁴)	2,38
Iy (cm⁴)	0,97
Tornillería Screws	813919
Escuadra alineamiento Alignment cleat	245054
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2




COR-2894	
Descripción Description	Solape de registro de 45 mm 45 mm register overlap
Peso Weight (g/m)	372,6
Superficie Surface (dm ² /m)	21,37
Ix (cm⁴)	2,87
Iy (cm⁴)	1
Tornillería Screws	813919
Escuadra alineamiento Alignment cleat	245054
Observaciones Observations	Tornillo Ø3.9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2

COR VISION
Perfiles a escala


COR VISION
Profiles to scale



COR-2898	
Descripción Description	Solape de registro de 85 mm 85 mm register overlap
Peso Weight (g/m)	612,9
Superficie Surface (dm ² /m)	33,06
Ix (cm⁴)	17,56
Iy (cm⁴)	1,24
Tornillería Screws	813919
Escuadra alineamiento Alignment cleat	245054
Observaciones Observations	Tornillo Ø3,9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2




COR-2820	
Descripción Description	Tapa guía Guide end plate
Peso Weight (g/m)	369,9
Superficie Surface (dm ² /m)	16,72
Ix (cm⁴)	4,19
Iy (cm⁴)	0,36
Observaciones Observations	Tornillo Ø3,9 mm DIN7504P-A2 Ø2,9 mm DIN7504N-A2 screw



COR-2721	
Descripción Description	Tapa guía Guide cover
Peso Weight (g/m)	351
Superficie Surface (dm ² /m)	17,43
Ix (cm⁴)	3,91
Iy (cm⁴)	0,29
Observaciones Observations	Tornillo Ø3,9 mm DIN7504N-A2 Screw Ø3.9 mm DIN7504N-A2

COR VISION
Perfiles a escala

COR VISION
Profiles to scale



COR-7251	
Descripción Description	Unión de marcos oculta Concealed frame joint profile
Peso Weight (g/m)	105,3
Superficie Surface (dm ² /m)	5,15
Ix (cm⁴)	0,02
Iy (cm⁴)	0,08
Observaciones Observations	Tornillo Ø2.9 mm DIN7504N-A2 Ø2.9 mm DIN7504N-A2 screw

aluminiosiberica.pai.pt



Aluminios Iberica, Lda

Sede e Fábrica: Rua parque Industrial, Nº 126
4720-536 Lago Amares
Telef. 253 310 250 / 253 310 251 Fax. 253 311 830
Email: geral@aluminiosiberica.pt

Filiais:

Vila Real Lugar de Couços – EN 115
5000-122 Justes – Vila Real
Telef. 259 331 778 / Fax. 259 928 092
Email: vreal@aluminiosiberica.pt



EXEMPLO CONCRETO
Painéis Sandwich - Perfis - Chapas - Remates - Acessórios

Vila Nova de Gaia (Exemplo Concreto, LDA)
Rua Nova de São Caetano, nº3
4405-819 Vilar do Paraíso
Telef. 227 629 539
Email: gaia@exemploconcreto.com



Armazém: Est. Do Campo de Aviação
3510-824 Campo – Viseu
Telef. 232 459 138 / 232 459 741
Fax. 232 450 140
Email: geral@alviz.pt



Armazém: Zona Industrial de Vilamoura
Lote 28 - Apartado 841
8126 -910 Quarteira
Telef. 289 322 748 Fax. 289 301 928
Email: pala.loule@sapo.pt



Armazém: Av. Almirante Gago Coutinho
Portela de Sintra - Apartado 212
2711 - 901 Sintra
Telef. 219 244 074 / 219 244 101 Fax. 219 241 015
Email: angularlda@sapo.pt